

CONTAINS NO CBI

Form Approved
OMB No. 2010-0019
Approval Expires 12-31-89

000611082I 90-890005/0

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Comprehensive Assessment Information Rule

REPORTING FORM

6.5 W -2 W 6.3

Document Processing Center Office of Toxic Substances, TS-790 U.S. Environmental Protection Agency 401 M Street, SW Washington, DC 20460 Attention: CAIR Reporting Office

Date of Receipt:

Document

Control Number:

Docket Number:

EPA Form 7710-52

PART	Α (GENERAL REPORTING INFORMATION				
1.01	Th	is Comprehensive Assessment Information Rule (CAIR) Reporting Form has been				
CBI		npleted in response to the <u>Federal Register Notice of [1]2][2]2 [8]9</u>				
[_]	a.	If a Chemical Abstracts Service Number (CAS No.) is provided in the <u>Federal</u>				
		Register, list the CAS No				
	ь.	If a chemical substance CAS No. is not provided in the <u>Federal Register</u> , list either (i) the chemical name, (ii) the mixture name, or (iii) the trade name of the chemical substance as provided in the <u>Federal Register</u> .				
		(i) Chemical name as listed in the rule NA				
		(ii) Name of mixture as listed in the rule				
		(iii) Trade name as listed in the rule				
	с.	If a chemical category is provided in the <u>Federal Register</u> , report the name of the category as listed in the rule, the chemical substance CAS No. you are reporting on which falls under the listed category, and the chemical name of the substance you are reporting on which falls under the listed category.				
		Name of category as listed in the rule NA				
		CAS No. of chemical substance				
		Name of chemical substance				
.02 CBI	Han	ntify your reporting status under CAIR by circling the appropriate response(s). ufacturer				
		cessor				
	X/P manufacturer reporting for customer who is a processor					
		processor reporting for customer who is a processor				

1.03. CBI	· Does the substance you are reporting on have an "x/p" designation associated with in the above-listed Federal Register Notice?										
[_]	Yes No	•••••		•••••••••	••••••	• • • • • • • • • • • • • • • • • • • •			otoq	uestion :	1.04
1.04 CBI		Circl Yes .	ou manufacture, a trade name(e the appropri the appropria	ate respon	ise.		d in the	<u>Federal</u>	Regis	ter Notio	ce?
			You have chose You have submidate of the reporting.	en to noti rade name(en to repo itted the	fy your o	our custom	ers				
	Trac Is t Yes	he name	y a trade name requirements { eade name produc		Wingfil H	ert A	provide	respon:	se.	ne.	. (1 2
BI	"I h	ereby	certify that, this form is NAME Manacu TITLE	to the bes	st of my	knowledge ate."	and beli	ef, all	inform	mation	5 t
_] н	ark	(X) th	is box if you	attach a d	continuat	ion sheet.				*****	

1.07 <u>CBI</u> [_]	Exemptions From Reporting If you have provided EPA or another Federal agency with the required information on a CAIR Reporting Form for the listed substance within the past 3 years, and this information is current, accurate, and complete for the time period specified in the rule, then sign the certification below. You are required to complete section 1 of this CAIR form and provide any information now required but not previously submitted. Provide a copy of any previous submissions along with your Section 1 submission.						
	"I hereby certify that, to the information which I have not in to EPA within the past 3 years period specified in the rule."	cluded in	this CAIR Reporting	Form has been submitted			
	NA						
	NAME		SIGNATURE	DATE SIGNED			
	TITLE	()	TELEPHONE NO.	DATE OF PREVIOUS SUBMISSION			
1.08 <u>CBI</u> [_]	CBI Certification If you have certify that the following state those confidentiality claims who "My company has taken measures and it will continue to take the been, reasonably ascertainable using legitimate means (other to a judicial or quasi-judicial prinformation is not publicly availy would cause substantial harm to NA NAME	ements truich you had to protect ese measur by other phan discovoceeding) ilable els	thfully and accurate ave asserted. The confidentiality res; the information persons (other than givery based on a showing without my company's sewhere; and disclosures.	ly apply to all of of the information, is not, and has not overnment bodies) by ng of special need in consent; the			

PART	B CORPORATE DATA
1.09	Facility Identification
<u>CBI</u>	Name [Glolold Y e A e T e
	Dun & Bradstreet Number
1.10	Company Headquarters Identification
<u>CBI</u>	Name [T]h]e] [G]o]o]d]y]e]a]r] [T]i]r]e [& [R]u]b]b]e]r] [C] Address [1]1]4]4] [E]a]s]t] [M]a]r]k]e]t] [Street [S]t]r]e]e]t] [City
	(0 H (4 4 3 1 6 (0 0 0 1) State Tip Old O

1.11	Parent Company Identification
<u>CBI</u>	Name [T]h e] G o o d y e a r T i r e & R u b b e r] C Address [1]1 4 4 E a s t M a r k e t S t r e e t
	[A]k r]o n - - - - - - - - - - - - - - - - - -
	$[\overline{0}] \overline{H}]$ $[\overline{4}] \overline{4}] \overline{3}] \overline{1}] \overline{6}] - [\overline{0}] \overline{0}] \overline{0}] \overline{1}]$ State
	Dun & Bradstreet Number
1.12	Technical Contact
CBI	Name (E]4]9 0 W 0 A E E
[_]	
	Address [5]][][][][][][][][][][][][][][][][][][
	(3)回収(天)(大)(1)(3)(2)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)
	[Z]Z] [Y] <u>J</u>] <u>J</u>][]]]]]
	Telephone Number
1.13	This reporting year is from $\{ \overline{0} \} \overline{1} \} \{ \overline{8} \} \overline{8} \}$ to $\{ \overline{1} \} \overline{2} \} \{ \overline{8} \} \overline{8} \}$ Mo. $\{ \overline{1} \} \overline{2} \} \{ \overline{8} \} \overline{8} \}$
[_]	Hark (X) this box if you attach a continuation sheet.
	7

1.14	4 Facility Acquired If you purchased this facility during the reporting year, provide the following information about the seller:					
		NA				
<u>CBI</u>	Name of Seller [_1_1_1_1_	<u> </u>	[]_]_]_]
[_]	Mailing Address			_111	I_I_I_I_	[1_1_1]
		[_1_1_1_1_1_1_1_1]_]_]_	1_1_1_1_	[]_[]_]
			[]]] 	[_]_]_]]][Ziρ	[]_]_]_]
	Employer ID Numbe	er	• • • • • • • • • • • • • • • •	[]]111	<u> </u>
	Date of Sale		• • • • • • • • • • • • • • • • • • • •	[
	Contact Person []_]_]_	1_1_1_1_1
	Telephone Number		[_]_]-[_]_]_[_	
1.15	Facility Sold following informa	NA If you sold this faciliation about the buyer:	ity during the	reporting	year, provi	de the
CBI	Name of Buyer [<u> </u>]-]-]-	- ₁ ₁ ₁
[_]	Mailing Address	[_1_1_1_1_1_1_1_1	 	_111_	1_1_1_1_	
		(_111]111_	[]]_]_
			[]_] State	[_]_]]]][_ Zip]_]_]_]
	Employer ID Numbe	er	• • • • • • • • • • • • • • • • • • • •	[_	_ _ _ _ _	<u> </u>
	Date of Purchase	••••••		• • • • • • • • • • • • • • • • • • • •		
	Contact Person [<u>_</u> _ _ _		_ _ _]
	Telephone Number		[_	1_1_1-1_	_111-{	1_1_1_1_
[_]	Mark (X) this box	if you attach a continu	uation sheet.			

CBI	was manufactured, imported, or processed at your facility during the	0,1
[_]	Classification	Quantity (kg/yr)
	Manufactured	O.O
	Imported	
	Processed (include quantity repackaged) / 988	
	Of that quantity manufactured or imported, report that quantity:	
	In storage at the beginning of the reporting year	· · · /\ /4
	For on-site use or processing	
	For direct commercial distribution (including export)	
	In storage at the end of the reporting year	
	Of that quantity processed, report that quantity:	
	In storage at the beginning of the reporting year 1908	73,60
	Processed as a reactant (chemical producer)	• •
	Processed as a formulation component (mixture producer)	
	Processed as an article component (article producer)	
	Repackaged (including export)	
	In storage at the end of the reporting year 88	0
	•	

1.17 <u>CBI</u>	Mixture If the listed sor a component of a mixture chemical. (If the mixture each component chemical for	ubstance on which you are re e, provide the following inf composition is variable, re r all formulations.)	quired to report is a mixture ormation for each component port an average percentage of
[_]	Component Name	Supplier Name	Average % Composition by Weight (specify precision,e.g., 45% ± 0.5%)
	TDI Prepolymer	ARNCO	40 ± 5.0
	Petroleum Hydrocarbon	ARNCO	55 - 5.0
	Toluene Diisocyanate	ARNCO	4.0 ⁺ 0.5
			Total 100%
			100%

2.04	State the quantity of the listed substance that your facility manu or processed during the 3 corporate fiscal years preceding the rep descending order.	factured, im	ported,
CBI			
[_]	Year ending	[<u>1]2</u>]	[<u>8</u>] <u>7</u>]
	Quantity manufactured	ಿ.೦	
	Quantity imported	0.0	kg
	Quantity processed	220.80	kg
	Year ending	$\cdots \left[\frac{1}{1} \right] \frac{2}{2} $	[<u>8</u>] <u>6</u>]
	Quantity manufactured		
	Quantity imported	0.0	ko
	Quantity processed	44.6	kg
	Year ending	Mo.	Year
	Quantity manufactured		kg
	Quantity imported		kg
	Quantity processed	149.20	kg
2.05 CBI	Specify the manner in which you manufactured the listed substance. appropriate process types.	Circle all	
(1	NA Continuous process		
	Semicontinuous process		
	Batch process		
		•••••••••	د. ۰۰۰۰۰
	Mark (X) this box if you attach a continuation sheet.		

2.06 CBI	Specify the manner in which you processed the listed substance. Circle all appropriate process types.							
[_]	Continuous process							
	Semicontinuous process			· · ·				
	Batch process							
2.07 CBI	State your facility's name-plate capacity for manufacturing or processing the listed substance. (If you are a batch manufacturer or batch processor, do not answer this question.)							
	,	NA						
·1	Manufacturing capacity			kg/yr				
	Processing capacity .	• • • • • • • • • • • • • • • • • • • •		kg/,yr				
2.08 CBI	If you intend to incremanufactured, imported year, estimate the increase volume.							
[_]		Manufacturing Quantity (kg)	Importing Quantity (kg)	ProcessingQuantity (kg)				
	Amount of increase			73.60				
	Amount of decrease							
	•.	·						
1	Mark (X) this box if yo	ul attach a acce.						

2.09	substance durin	argest volume manufacturing or processing procese, specify the number of days you manufactured of the reporting year. Also specify the average s type was operated. (If only one or two opera	or processed	the listed
<u>CBI</u>				
(_1			_Days/Year	Average Hours/Day
	Process Type #1	(The process type involving the largest quantity of the listed substance.)		
	,	Manufactured		
	·	Processed	52	4
	Process Type #2	(The process type involving the 2nd largest quantity of the listed substance.)		- ,•
	•	Manufactured		
		Processed	NA	
	Process Type #3	(The process type involving the 3rd largest quantity of the listed substance.)		
		Manufactured		
		Processed	NA	
2.10 CBI [_]	State the maximus ubstance that uchemical. Maximum daily in Average monthly	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	of the is	ted a bulk kg kg
[_]	Mark (X) this bo	x if you attach a continuation sheet.		

CAS No.		Byproduct, Coproduct	Concentration (%) (specify ±	Source of products products
-	Chemical Name	or Impurity	% precision)	Impuri
B = Byproduct C = Coproduct I = Impurity				
r = rmpurrcy				
I = Impulity			·	
I = Impulity				
I = Impulity				

 $[\]$ Mark (X) this box if you attach a continuation sheet.

<u>CBI</u>	the quantity of listed total volume of listed quantity of listed subs listed under column b., the instructions for fu	tance used captivel	ng the y on-si	reporting yea ite as a perce	ir. Also list the
	a. Product Types ¹	b. % of Quantity Manufactured, Imported, or Processed		c. of Quantity sed CaptivelyOn-Site	d. Type of End-Users ²
	X	100		100	I, CM
					•
	Use the following code:	/Accelerator/ er/Scavenger/ /Sequestrant /Degreaser modifier/Antivear ier esive and additives s to designate the	L = Mc M = Pl N = Dy O = Pl ar P = El Q = Fc R = Ex S = Fr T = Pc U = Fc V = Mc V = Rl X = Oct	oldable/Castablasticizer /e/Pigment/Colnotographic/Rend additives lectrodepositivel and fuel acplosive chemicagrance/Flavoollution contructional fluitetal alloy and neological modules.	cals and additives or chemicals of chemicals ds and additives additives
	<pre>I = Industrial CM = Commercial</pre>	CS = Cons II = Othe	umer r (spec	eify)	

2.13 <u>CBI</u> [_]	Expected Product Types import, or process usi corporate fiscal year. import, or process for substance used during used captively on-site types of end-users for explanation and an example of the explanation of the explanati	ng the listed substa For each use, speceach use as a percethe reporting year. as a percentage of each product type.	nce ify ntag Als the	at any time after the quantity you e e of the total vol o list the quanti value listed under	your current expect to manufacture, lume of listed ty of listed substance r column b and the
	a.	Ъ.		с.	d.
	Product Types ¹	% of Quantity Manufactured, Imported, or Processed	_	% of Quantity Used Captively On-Site	Type of End-Users ²
	X	100		100	I, CM
				- Maria	
			-		
	<pre>1 Use the following cod A = Solvent B = Synthetic reactan C = Catalyst/Initiato Sensitizer D = Inhibitor/Stabili Antioxidant E = Analytical reagen F = Chelator/Coagulan G = Cleanser/Detergen H = Lubricant/Frictio agent I = Surfactant/Emulsi J = Flame retardant K = Coating/Binder/Ad 2 Use the following cod I = Industrial CM = Commercial</pre>	t r/Accelerator/ zer/Scavenger/ t t/Sequestrant t/Degreaser n modifier/Antiwear fier hesive and additives es to designate the CS = Cons	L = M = N = O = P = Q = R = V = V = V = type	Moldable/Castable Plasticizer Dye/Pigment/Color Photographic/Repand additives Electrodeposition Fuel and fuel add Explosive chemical Fragrance/Flavor Pollution controuctional fluid Metal alloy and Rheological modiother (specify)	als and additives chemicals l chemicals s and additives additives fier Article-Flat proof tir
[_]	Mark (X) this box if y	ou attach a continua	tion	sheet.	

		c. Average %	d.
Product Type ¹	Final Product's Physical Form ²	Composition of Listed Substance in Final Product	Type of End-Users ³
X	Н	< 0.01	I, CM
	codes to designate pro	oduct types:	
agent I = Surfactant/Emu J = Flame retardan K = Coating/Binder Use the following A = Gas B = Liquid C = Aqueous soluti D = Paste E = Slurry Fl = Powder	ator/Accelerator/ pilizer/Scavenger/ gent clant/Sequestrant gent/Degreaser ction modifier/Antiwear claifier ct c/Adhesive and additive codes to designate the F2 = Cry F3 = Gra on F4 = Oth G = Gel H = Oth	U = Functional fluids V = Metal alloy and a W = Rheological modifies X = Other (specify) e final product's physic extalline solid anules her solid her (specify) Article	rant/Ink and additionary chemical and remical and additives als and additives chemicals chemicals and additives and additives and additives additives additives article—Flat proof
I = Industrial CM = Commercial	codes to designate the CS = Cor		

Railcar Barge, Vessel Pipeline Plane Other (specify) 2.16 Customer Use Estimate the quantity of the listed substance used by your prepared by your customers during the reporting year for use under est of end use listed (i-iv). Category of End Use i. Industrial Products Chemical or mixture Article ii. Commercial Products	ments of the
Railcar Barge, Vessel Pipeline Other (specify) 2.16 Customer Use Estimate the quantity of the listed substance used by your prepared by your customers during the reporting year for use under early of end use listed (i-iv). Category of End Use i. Industrial Products Chemical or mixture Article	\overline{G}
Barge, Vessel Pipeline Plane Other (specify) 2.16 Customer Use Estimate the quantity of the listed substance used by your or prepared by your customers during the reporting year for use under est of end use listed (i-iv). Category of End Use i. Industrial Products Chemical or mixture Article	\geq
Pipeline Plane Other (specify) 2.16 Customer Use Estimate the quantity of the listed substance used by your prepared by your customers during the reporting year for use under easy of end use listed (i-iv). Category of End Use i. Industrial Products Chemical or mixture Article	\sim
Plane Other (specify) 2.16 Customer Use Estimate the quantity of the listed substance used by your prepared by your customers during the reporting year for use under each of end use listed (i-iv). Category of End Use i. Industrial Products Chemical or mixture	_
Other (specify) 2.16 Customer Use Estimate the quantity of the listed substance used by your prepared by your customers during the reporting year for use under each of end use listed (i-iv). [] Category of End Use i. Industrial Products Chemical or mixture	•
2.16 Customer Use Estimate the quantity of the listed substance used by your prepared by your customers during the reporting year for use under each of end use listed (i-iv). [] Category of End Use i. Industrial Products Chemical or mixture	
Customer Use Estimate the quantity of the listed substance used by your prepared by your customers during the reporting year for use under earlier of end use listed (i-iv). Category of End Use i. Industrial Products Chemical or mixture	
Chemical or mixture	
Article 264.6	
Article 264.6	kg/yr
Chemical or mixture	kg/yr
Article	
iii. Consumer Products	
Chemical or mixture	kg/yr
Article	
iv. Other	(87)1
Distribution (excluding export)	ka/ur
Export	
Quantity of substance consumed as reactant	
Unknown customer uses	
	Kg/yr
Mark (X) this box if you attach a continuation sheet.	

SECTION 3 PROCESSOR RAW MATERIAL IDENTIFICATION

PART	A GENERAL DATA		
3.01 <u>CBI</u>	Specify the quantity purchased and the average price for each major source of supply listed. Product trace The average price is the market value of the product substance.	paid for the list des are treated as that was traded fo	ed substance purchases. or the listed
	Source of Supply	Quantity (kg)	Average Price (\$/kg)
	The listed substance was manufactured on-site.	<u> </u>	
	The listed substance was transferred from a different company site.		•
	The listed substance was purchased directly from a manufacturer or importer.		
	The listed substance was purchased from a distributor or repackager.		
	The listed substance was purchased from a mixture producer.	294.106 Kg	51.84 Kg
3.02 CBI	Circle all applicable modes of transportation used to your facility. Truck		
	Truck		
	Barge, Vessel		
	Pipeline		
	Plane		4
	Other (specify)		6
_]	Mark (X) this box if you attach a continuation sheet.		

3.03 CBI	a.	Circle all applicable containers used to transport the listed substance to your facility.
[_]		Bags 1
		Boxes 2
		Free standing tank cylinders
		Tank rail cars 4
		Hopper cars 5
		Tank trucks 6
		Hopper trucks 7
		Drums
		Pipeline 9
		Other (specify)
	b.	If the listed substance is transported in pressurized tank cylinders, tank rail cars, or tank trucks, state the pressure of the tanks.
		Tank cylinders mmHg
		Tank rail cars mmHg
		Tank trucks mmHg
		mang mang

[] Mark (X) this box if you attach a continuation sheet.

I.		tion by weight of the	form of a mixture, list the) or manufacturer(s), an esthe listed substance in the rorting year.				
	Trade Name	Supplier or Manufacturer	Average % Composition by Weight (specify <u>+</u> % precision)	Amount Processed (kg/yr)			
	Wingfil Part A	ARNCO	4.0 ± 0.5	7352.64			
				•			

3.05 <u>CBI</u> [_]	State the quantity of the li reporting year in the form o the percent composition, by	sted substance used f a class I chemical weight, of the liste	as a raw ma , class II d substance	terial during the chemical, or polymer, and
		Quantity Used (kg/yr)		<pre>% Composition by Weight of Listed Sub- stance in Raw Material (specify ± % precision</pre>
	Class I chemical	294.106	7	4.0 + 0.5
	Class II chemical			
				-
	Polymon			
	Polymer			
			•	

SECTION 4 PHYSICAL/CHEMICAL PROPERT	TTES	PROPERT	CHEMICAL.	PHYSTCAL	4	SECTION
-------------------------------------	------	---------	-----------	----------	---	---------

If you are reporting on a mixture as defined in the glossary, reply to questions in Section 4 that are inappropriate to mixtures by stating "NA -- mixture."

For questions 4.06-4.15, if you possess any hazard warning statement, label, MSDS, or other

PART	A PHYSICAL/CHEMICAL DA	TA SUMMARY		
01 CBI	substance as it is man substance in the final	rity for the three major ufactured, imported, or posted, or posted, or manufactors at the point you begin	processed. Measure the cturing activities, a	he purity of the
		Manufacture	Import	Process
	Technical grade #1	% purity	% purity NA-	-mixture % purity
	Technical grade #2	% purity	% purity	% purit
	· ·	***************************************		
	Technical grade #3 1 Major = Greatest quan	% purity	% purity	% purit
-02	Technical grade #3 1 Major = Greatest quan Submit your most recensubstance, and for eve an MSDS that you devel	% purity	manufactured, imported ety Data Sheet (MSDS) the listed substanced by a different sou	gd or processed. for the listed e. If you posses rce. submit your
	Technical grade #3 1 Major = Greatest quan Submit your most recen substance, and for eve an MSDS that you develversion. Indicate whe appropriate response.	zity of listed substance tly updated Material Safe ry formulation containing oped and an MSDS develope ther at least one MSDS ha	manufactured, imported ty Data Sheet (MSDS) the listed substanced by a different souls been submitted by	ged or processed. for the listed e. If you posses rce, submit your circling the
-02	Technical grade #3 1 Major = Greatest quan Submit your most recen substance, and for eve an MSDS that you develversion. Indicate whe appropriate response. Yes	zity of listed substance tly updated Material Safe ry formulation containing oped and an MSDS develope ther at least one MSDS ha	manufactured, imported ty Data Sheet (MSDS) the listed substanced by a different sounds been submitted by	ged or processed. for the listed e. If you posses rce, submit your circling the
-02	Technical grade #3 Imajor = Greatest quan Submit your most recensubstance, and for eve an MSDS that you develversion. Indicate whe appropriate response. Yes	zity of listed substance tly updated Material Safe ry formulation containing oped and an MSDS develope ther at least one MSDS ha	manufactured, imported ty Data Sheet (MSDS) the listed substanced by a different sounds been submitted by	ged or processed. for the listed e. If you posses rce, submit your circling the
-02	Technical grade #3 1 Major = Greatest quan Submit your most recensubstance, and for eve an MSDS that you develversion. Indicate whe appropriate response. Yes	zity of listed substance tly updated Material Safe ry formulation containing oped and an MSDS develope ther at least one MSDS ha	manufactured, imported ty Data Sheet (MSDS) of the listed substanced by a different sound been submitted by a company or by a different sound by the listed by the list by t	ged or processed. for the listed e. If you posses rce, submit your circling the

4.03	Submit a copy or reasonable facsimile of any hazard information (other than an MSDS) that is provided to your customers/users regarding the listed substance or any formulation containing the listed substance. Indicate whether this information has been submitted by circling the appropriate response.
	Yes 1
	No 2
4.04	For each activity that uses the listed substance, circle all the applicable number(s) corresponding to each physical state of the listed substance during the activity listed. Physical states for importing and processing activities are determined at
<u>CBI</u>	the time you import or begin to process the listed substance. Physical states for manufacturing, storage, disposal and transport activities are determined using the final state of the product.

		Phy:	sical State		
Activity	Solid	Slurry	Liquid	Liquified Gas	Gas
Manufacture	1	2	3	4	5
Import	1	2	3	4	5
Process	1	2	3	4	S
Store	1	2	3	4	5
Dispose	1	2	3	4	5
Transport	1	2	3	4	5

[[]_] Mark (X) this box if you attach a continuation sheet.

113660 3	g and processing act ubstance. Measure t disposal and transp	ne povsical st	ate and	narticle	cizac f	or manufa	
Physical State		Manufacture	Import	Process	Store	Dispose	Transp
Dust	<1 micron			NA			
	1 to <5 microns			NA			
	5 to <10 microns			NA			
				NA			
Powder	<l micron<="" td=""><td></td><td></td><td>NA</td><td>٠</td><td></td><td>-</td></l>			NA	٠		-
	1 to <5 microns			NA			
	5 to <10 microns					• 10	
	10 (101020)13			NA			
Fiber	<1 micron			NA			
	1 to <5 microns			NA NA		-	
•	5 to <10 microns			NA			
				NA		-	
Aerosol	<1 micron			NA			
	1 to <5 microns						
				AM			
	5 to <10 microns			NA			
			•				

SECTION	5	ENVIRONMENTAL.	CATE
	_	ENVIRONTENIAL AL.	PAIP.

1 In	dicate the rate constants for the following transform	nation processes.	
a.	Photolysis:	•	
	Absorption spectrum coefficient (peak)	(1/M cm) at	nm
	Reaction quantum yield, 6		
	Direct photolysis rate constant, k _p , at		
b.	Oxidation constants at 25°C:	•	
	For ¹ 0 ₂ (singlet oxygen), k _{ox}		1/
	For RO ₂ (peroxy radical), k _{ox}		1/
c.	Five-day biochemical oxygen demand, BOD ₅		mg
d.	Biotransformation rate constant:		
	For bacterial transformation in water, k_b		1/
	Specify culture		
e.	Hydrolysis rate constants:		
	For base-promoted process, k _B		1/:
	For acid-promoted process, k,		
	For neutral process, k _k		
f.	Chemical reduction rate (specify conditions)		
g.	Other (such as spontaneous degradation)		

PART	В	PARTITION COEFFICIENTS			
5.02	a.	Specify the half-lif	e of the listed substa	nce in the followi A-Mixture	ng media.
		Media		Half-life (speci	fy units)
		Groundwater			
		Atmosphere			
		Surface water			
		Soil			
	b.	Identify the listed : life greater than 24	substance's known tran		s that have a half-
		CAS No.	Name	Half-life (specify units)	<u>Media</u>
					in
					in
					in
				-	in
5.03			NA c partition coefficient determination		at 25°0
			No	Mixtumo	
5.04	Spe	cify the soil-water pa	artition coefficient, F	(° ·····	at 25°
	Soi	l type	••••••••••		
5.05	Spec	cify the organic carbo	NA on-water partition	-Mixture	at 25°0
		•			at 25 t
5.06	Spec	cify the Henry's Law C	Constant, HNA	-Mixture	atm-m³/mole

Bioconcentration Factor	e of test used in deriving the NA-Mixture Species	Test ¹
	<u> </u>	<u> </u>
¹ Use the following codes to des	signate the type of test:	
F = Flowthrough		
S = Static		•

6.04 CBI	For each market listed below, state the listed substance sold or transfer	he quantity sold and the to red in bulk during the repo	tal sales value of rting year.
[_]	Market	Quandity Sold or	Total Sales
	Retail sales	Transferred (kg/yr)	Value (\$/yr)
	Distribution Wholesalers		\ \
	Distribution - Retailers		
	Intra-company transfer		
	Repackagers		
	Aixture producers		
	Article producers		
	Other chemical manufacturers	 	
	or processors		
	Exporters		
	Other (specify)	\	\
6.05 <u>CBI</u>	Substitutes List all known commerce for the listed substance and state the feasible substitute is one which is even in your current operation, and which performance in its end uses.	e cost of each substitute. conomically and technologic	A commercially
11	Substitute	•	Cost (\$/kg)
	No substitutes currently known		
		•	
[_]	Mark (X) this box if you attach a con	tinuation sheet.	


General Instructions:

For questions 7.04-7.06, provide a separate response for each process block flow diagram provided in questions 7.01, 7.02, and 7.03. Identify the process type from which the

PART A MANUFACTURING AND PROCESSING PROCESS TYPE DESCRIPTION

In accordance with the instructions, provide a process block flow diagram showing the major (greatest volume) process type involving the listed substance. CBI

[__] Process type Batch - Polyurethane Polymerization



7A = TDI Prepolymer

7B = Amine Solution

7C = Metering Pump

7D = Isopropyl Alcohol Cleaning Solution

7E = Cleaning Solution Pump '

.7F = Components Mixing Head

7G = Tire Being Filled Through Valve Stem


7H = Clean-out Solution Drum

^[] Mark (X) this box if you attach a continuation sheet.

7.03 In accordance with the instructions, provide a process block flow diagram showing all process emission streams and emission points that contain the listed substance and which, if combined, would total at least 90 percent of all facility emissions if not treated before emission into the environment. If all such emissions are released from one process type, provide a process block flow diagram using the instructions type, provide a process block flow diagram each process type as a separate block.

CBI

Process type Batch - Polyurethane Polymerization



7A = TDI Prepolymer

7B = Amine Solution

7C = Metering Pump

7D = Isopropyl Alcohol Cleaning Solution

7E = Cleaning Solution Pump

7F = Components Mixing Head

7G = Tire Being Filled Through Valve Stem

7H = Clean-out Solution Drum

^[] Mark (X) this box if you attach a continuation sheet.

Process type	Batch-	Polyurethane Polyme	rization	
Unit Operation ID Number	Typical Equipment Type	Operating Temperature Range (°C)	Operating Pressure Range (mm Hg)	Vesse Composi
7A	Drum	Ambient	Atmospheric	Steel
7B	Drum	Ambient	Atmospheric	Steel
7C	Metering Pump	Ambient	Atmospheric	Stainle Steel
7D	5 Gallon Can	Ambient	Atmospheric	Steel
7E	Pump	Ambient	Atmospheric	Steel
<u>7</u> F	Mixing Head	Ambient	Atmospheric	Stainle
7G	Tire	Ambient	Atmospheric	Vul. Ru
7H	Drum	Ambient	<u>Atmospheri</u> c	Steel
			•	
		•		

<u>r</u>				
_]	Process type	Batch - Polyurethane	Polymerization	
	Process			
	Stream ID Code	Process Stream Description	Physical State ¹	Stream Flow (kg/y
	7.1	TDI Prepolymer	OL	7352.64 KG
	7.3	TDI Prepolymer	OL	735264
	7.6	Polymerizing Polyurethane	OL	14705.28
	-			1
			·	
			•	
	Ilse the follow			
· •• ••	GC = Gas (cond GU = Gas (unco SO = Solid SY = Sludge or AL = Aqueous 1 OL = Organic 1	iquid	nd pressure) and pressure)	
	GC = Gas (cond GU = Gas (unco SO = Solid SY = Sludge or AL = Aqueous 1 OL = Organic 1	ensible at ambient temperature a ndensible at ambient temperature slurry iquid iquid	nd pressure) and pressure)	
	GC = Gas (cond GU = Gas (unco SO = Solid SY = Sludge or AL = Aqueous 1 OL = Organic 1	ensible at ambient temperature a ndensible at ambient temperature slurry iquid iquid	nd pressure) and pressure)	
	GC = Gas (cond GU = Gas (unco SO = Solid SY = Sludge or AL = Aqueous 1 OL = Organic 1	ensible at ambient temperature a ndensible at ambient temperature slurry iquid iquid	nd pressure) and pressure)	
	GC = Gas (cond GU = Gas (unco SO = Solid SY = Sludge or AL = Aqueous 1 OL = Organic 1	ensible at ambient temperature a ndensible at ambient temperature slurry iquid iquid	nd pressure) and pressure)	

7.06 CBI	If a process block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process type. (Refer to the instructions for further explanation and an example.)						
[_]	Process type	Batch - P	olyurethane Pol	ymerization			
	a.	b.	с.	d.	e.		
	Process Stream ID Code	Known Compounds ¹	Concen- trations ^{2,3} (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)		
	7.1	TDI Prepolymer	40 ± 5.0 (E) (W)	NA	NA		
		Petroleum Hydrocarbon	55 ± 5.0 (E) (W) _	NA	NA		
		Toluene Diisocyanate	4.0 ± 0.5 (E) (W)	NA	NA		
	7.3	TDI Prepolymer	40 ± 5.0 (E) (W)	NA	NA		
		Petroleum Hydrocarbon	55 - 5.0 (E) (W) _	NA	NA		
		Toluene Diisocyanate	4.0 ± 0.5 (E) (W) -	. NA	NA .		
	7.6	Polyurethane	(H) - (H)	NA	NA		
		Toluene Diisocyanate	(E) (W)	NA	NA		
		Amine	<u>(£) (w)</u>	NA	NA		
7.06	continued be	lov					
		•					

[] Mark (X) this box if you attach a continuation sheet.

7.06 (continued	1)
-----------------	----

_	
N	IA
	-

For each additive package introduced into a process stream, specify the compounds that are present in each additive package, and the concentration of each component. Assign an additive package number to each additive package and list this number in column b. (Refer to the instructions for further explanation and an example. Refer to the glossary for the definition of additive package.)

Additive Package Number	Components of Additive Package	Concentration (% or ppm)
1		
		_
2		
2		
3		
	-	

4		
4		***************************************
5		
lise the following code		
	s to designate how the concentrat	ion vas determined:
A = Analytical result E = Engineering judgement	ent/calculation	
	s to designate how the concentrat	ion was moreured.
V = Volume	o to ocoagnate not the concentrate	Ton was measured.
V = Volume V = Veight		
1 (11)	attach a continuation sheet.	

B.01 In accordance with the instructions, provide a residual treatment block flow diag which describes the treatment process used for residuals identified in question CBI								diagram ion 7.01
_]	Process type		Batch	- Polyure	ethane Pol	lymerizati	on	76.5
		NA						
								•
	·							
		,						
				-				

8.05 <u>CBI</u>	Characterize each process stream identified in your residual treatment block flow diagram(s). If a residual treatment block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process type. (Refer to the instructions for further explanation and an example.)							
[_]	Process type Batch - Polyurethane Polymerization							
	a.	b.	C.	d.	е.	f.	g.	
	Stream ID Code	Type of Hazardous Waste	Physical State of Residual ²	Known Compounds ³	Concentra- tions (% or ppm) ^{4,5,6}	Other Expected Compounds	Estimated Concen- trations (% or ppm)	
		*						
						Train value of the state of the		
 8.05	continu	ed below		·			~~~~~	

8.05 (continued)

NA

¹Use the following codes to designate the type of hazardous waste:

I = Ignitable

C = Corrosive

R = Reactive

E = EP toxic

T = Toxic

H = Acutely hazardous

 2 Use the following codes to designate the physical state of the residual:

GC = Gas (condensible at ambient temperature and pressure)

GU = Gas (uncondensible at ambient temperature and pressure)

SO = Solid

SY = Sludge or slurry

AL = Aqueous liquid

OL = Organic liquid

IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene)

8.05 continued below

^[] Mark (X) this box if you attach a continuation sheet.

8.05 (contin	ued)
--------------	-----	---

NA

³For each additive package introduced into a process stream, specify the compounds that are present in each additive package, and the concentration of each component. Assign an additive package number to each additive package and list this number in column d. (Refer to the instructions for further explanation and an example. Refer to the glossary for the definition of additive package.)

	Additive Package Number	Components of Additive Package	Concentrations(% or ppm)
	1		
	2		
	3		
	4		
	•		
	5		
4	Use the following co	des to designate how the concentration	on was determined:
	A = Analytical resul E = Engineering judg	t rement/calculation	
8.05 d	continued belov	·	
[_] 1	fark (X) this box if	you attach a continuation sheet.	
		56	

8.05	(continued)
0.00	

NA

⁵Use the following codes to designate how the concentration was measured:

V = Volume

W = Weight

⁶Specify the analytical test methods used and their detection limits in the table below. Assign a code to each test method used and list those codes in column e.

Code	Method	Detection Limit(<u>+</u> ug/l)
1		
2		
3		
· 4		
5		
6		

[] Mark (X) this box if you attach a continuation sheet.

CBI [] Process type Batch - Polyurethane Poly a. b. c. d. e. Stream Waste Management Residual Management ID Description Method Quantities of Residual Code Code Code Code Code (kg/yr) On-Site	idual treatment block flow is provided for more than one eparately for each process on and an example.)
a. b. c. d. e. Stream Waste Management Residual Manag ID Description Method Quantities of Resid	
a. b. c. d. e. Stream Waste Management Residual Management ID Description Method Quantities of Residual	rization
ID Description Method Quantities of Resid	f. g. Costs for
	ent Off-Site Changes in largement Management
¹ Use the codes provided in Exhibit 8-1 to designate t ² Use the codes provided in Exhibit 8-2 to designate t	waste descriptions management methods
[_] Mark (X) this box if you attach a continuation sheet.	

8.22 CBT	(by capacity)	in k inerators tha	t are used on	meters for each o	residuals ide	rgest entified in
<u>CBI</u>	your process b	Combustio Chamber Temperature	n \	ock flow diagram(Location of Temperature Monitor	Reside In Com	ence lime abustion (seconds)
	Incinerator 1	Primary Sec	ondary Pri	mary Secondary	Primary	Secondary
	2 3					
	Indicate by circl:	the appropri	lid Waste sur ate response.	vey has been subm	itted in lied	of response
	No	\			·······	2
8.23 CBI	are asea 011-21	ollowing table for te to burn the re t flow diagram(s	esiduals iden).	largest (by capac tified in your pr	ity) incinerat ocess block or	ors that residual
[_]		TV.	Air Polluti	on	Types Emission	
	Incinerator		Control Devi	ce	Avail	
	1					
	2					
	3		-			
	Indicate by circli	if Office of Song the appropria	lid Waste sur ate response.	vey has been subm	itted in lieu	of response
	Yes		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	1
				• • • • • • • • • • • • • • • • • • • •		
				ir pollution cont		
	S = Scrubber (E = Electrosta	include type of tic precipitatos	scrubber in			
[_]	Mark (X) this b	ox if you attacl	n a continuat	ion sheet.	·	

PART A EMPLOYMENT AND POTENTIAL EXPOSURE PROFILE

9.01	Mark (X) the appropriate column to indicate whether your company maintains records on
	the following data elements for hourly and salaried workers. Specify for each data
	element the year in which you began maintaining records and the number of years the
CBI	records for that data element are maintained. (Refer to the instructions for further explanation and an example.)
1-1	and the strain control of the strain control

<u>Da</u> Data Element	ata are Ma Hourly Workers	intained for Salaried Workers	: Year in Which Data Collection Began	Number of Years Records Are Maintained
Date of hire	×	×	6-81	Syns Pite exp
Age at hire	×		6-81	1.
Work history of individual before employment at your facility		×	6-81	
Sex	_<	X	6.81	<u> </u>
Race			6-81	1 1
Job titles	,		6-81	
Start date for each job title	<u>×</u>	<u> </u>	6-81	, ,
End date for each job title	S, 1	Mark The Control of t	6-81	
Work area industrial hygiene monitoring data				
Personal employee monitoring data	X	_X	6-80	·)
Employee medical history	<u> </u>		6-8	≠ 1
Employee smoking history			***	
Accident history	_X_	*	6-80-	11
Retirement date		*	<u>+ -8,</u>	. /
Termination date		<u> </u>	6-81	• 1
Vital status of retirees				
Cause of death data				

[_]	Mark	(X)	this	pox	i f	you	attach	а	continuation	sheet.
-----	------	-----	------	-----	-----	-----	--------	---	--------------	--------


.02 BI	In accordance with the in which you engage.	e instructions, complete	the following ta	ble for ea	ach activity
]	а.	b.	c.	d.	e.
	Activity	Process Category	Yearly Quantity (kg)	Total Workers	Total Worker-Hou
	Manufacture of the listed substance	Enclosed			
	113 ted Substance	Controlled Release		-	
		0pen	-		
	On-site use as reactant	Enclosed	294.106	2	208
	reactant	Controlled Release			•
		0pen		***************************************	
	On-site use as	Enclosed			
	nonreactant	Controlled Release			
		0pen			
	On-site preparation	Enclosed			
	of products	Controlled Release			
	•	0pen			
	•				

9.03 CBI	Provide a descriptive encompasses workers w listed substance.	job title for each labor category at your facility that ho may potentially come in contact with or be exposed to the
[_]		
:	Labor Category	Descriptive Job Title
	A	CENTIFIED FLEST SERVICEMAN - BOTH Employess who his
	В	
	С	
	D	
	E	•
	F	
	G	
	H	
	I	
	J	
	•	
	Mark (X) this box if y	ou attach a continuation sheet.

9.04 In accordance with the instructions, provide your process block flow diagram(s) and indicate associated work areas.

CBI

| Process type Batch - Polyurethane Polymerization



7A = TDI Prepolymer

7B = Amine Solution 7C = Metering Pump

7D = Isopropyl Alcohol Cleaning Solution

7E = Cleaning Solution Pump

7F = Components Mixing Head

7G = Tire Being Filled Through Valve Stem

7H = Clean-out Solution Drum

Note: All above is considered one work area

Work Area 1 2 3 4 5 6 7 8 9 10	a ID :	Description of Work Areas and Worker Activities Pumping TDI/Amine solutions to mixer, filling tires through valve stem with polyurethane, and cleaning hosing with alcoho
2 3 4 5 6 7 8 9		Pumping TDI/Amine solutions to mixer filling times the
3 4 5 6 7 8 9		value stem with polyurethane, and cleaning hosing with alcoho
4 5 6 7 8 9		
5 6 7 8 9		
6 7 8 9		•
7 8 9		
8 9		
9		
10		

9.06 <u>CBI</u>	Complete the following table for each work area identified in question 9.05, and for each labor category at your facility that encompasses workers who may potentially come in contact with or be exposed to the listed substance. Photocopy this question and complete it separately for each process type and work area.								
[_]	Process type Batch - Polyurethane Polymerization								
	Work area #1								
	Labor <u>Category</u> <i>H</i>	Number of Workers Exposed 2	Mode of Exposi (e.g., dir skin conta diecor Skin Contaer	rect act)	Physical State of Listed Substance	Average Length of Exposure Per Day ²	Number of Days per Year Exposed		
									
	GC = Gas (tempe GU = Gas (tempe inclu SO = Solid Use the fol A = 15 minu B = Greater exceedi C = Greater	condensible at rature and pre uncondensible rature and pre des fumes, vap	ambient essure) at ambient essure; eors, etc.) o designate av es, but not	SY = AL = OL = IL = Verage 1 D = E =	Sludge or sl Aqueous lique Organic lique Immiscible l (specify pha 90% water, 1	urry id id iquid ises, e.g., 0% toluene) sure per day: 2 hours, but ours 4 hours, but	not		
()	Mark (X) thi	s box if you a	ttach a contir	nuation	sheet.				

9.07	- Weighted Average (egory represented in question 9.06 TWA) exposure levels and the 15-min stion and complete it separately for	nute peak exposure levels.					
CBI								
[_]	Process type Batch - Polyurethane Polymerization							
	Work area	••••	1					
	Labor Category	8-hour TWA Exposure Level (ppm, mg/m³, other-specify)	15-Minute Peak Exposure Level (ppm, mg/m³, other-specify)					
	*	*	*					
								
			·					
* No	tests have been con	aducted						
		•						

80	If you monitor worker exposure to the listed substance, complete the following table.								
<u>I</u> -]	No monitor worker exposure available								
_,	Sample/Test	Work Area ID	Testing Frequency (per year)	Number of Samples (per test)	Who	Analyzed In-House (Y/N)	Number of Years Records Maintained		
	Personal breathing zone		3, 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	<u>(Parista</u>	<u> </u>	(27.17)			
	General work area (air)								
	Wipe samples						•		
	Adhesive patches						-		
	Blood samples								
	Urine samples					_			
	Respiratory samples					-			
	Allergy tests						***************************************		
	Other (specify)								
	Other (specify)								
	Other (specify)								
	¹ Use the following codes to designate who takes the monitoring samples: A = Plant industrial hygienist B = Insurance carrier C = OSHA consultant D = Other (specify)								

		Sampling and Analytical Methodology						
	NA							

If you conduct person	and/or and							
specify the following	g information	for ea	air monitoring ach equipment t	ype used.	substance, •			
Equipment Type ¹			Manufacturer	Averaging Time (hr)	Model Numbe			
					•			
<pre>A = Passive dosimeter B = Detector tube C = Charcoal filtration tube with pump</pre>								
Use the following codes to designate ambient air monitoring equipment types:								
 E = Stationary monitors located within work area F = Stationary monitors located within facility G = Stationary monitors located at plant boundary H = Mobile monitoring equipment (specify) 								
² Use the following co	odes to design	ate de	etection limit	units:				
A = ppm B = Fibers/cubic cer C = Micrograms/cubic	ntimeter (f/cc c meter (µ/m³))						
	Equipment Type Equipment Type Use the following compared to the foll	Do not conduction Equipment Type Detection Li Use the following codes to design A = Passive dosimeter B = Detector tube C = Charcoal filtration tube with D = Other (specify) Use the following codes to design E = Stationary monitors located w F = Stationary monitors located w G = Stationary monitors located w G = Stationary monitors located a H = Mobile monitoring equipment (I I = Other (specify) Use the following codes to design A = ppm	Do not conduct Equipment Type Detection Limit Limit Detection Limit D	Do not conduct Equipment Type Detection Limit A = Passive dosimeter B = Detector tube C = Charcoal filtration tube with pump D = Other (specify) Use the following codes to designate ambient air monic E = Stationary monitors located within work area F = Stationary monitors located within facility G = Stationary monitors located at plant boundary H = Mobile monitoring equipment (specify) Use the following codes to designate ambient air monic E = Stationary monitors located within facility G = Stationary monitors located at plant boundary H = Mobile monitoring equipment (specify) I = Other (specify) Use the following codes to designate detection limit of the specific continuous codes are possible for the specific continuous codes.	Equipment Type ¹ Detection Limit ² Manufacturer Time (hr) Detection Limit ² Manufacturer Averaging Time (hr) Detection Limit ² Manufacturer Time (hr) Detection Limit ² Manufacturer Time (hr) Detection Limit ² Manufacturer Averaging Time (hr) Detection Limit ² Manufacturer Averaging Time (hr) Detection Limit ² Manufacturer Averaging Time (hr) Detection Limit ² Manufacturer Time (hr) Averaging Time (hr) Detection Limit ² Manufacturer Time (hr) Averaging Time (hr) Averaging Time (hr) Equipment A = Passive dosineter Betalionary monitoring tube with pump Detection Limit ² A = ppm Betalionary Time (hr) Averaging Time (hr) Time (hr)			

,	Test Descript	tests c	onducted	(weekly,	Frequ monthly	ency , yearly,	etc.
W. Prince		. •					
						•	
	e.						
	•						
							r

Process type	9.12 CBI	Describe the engineering controls that you use to reduce or eliminate worker exposure to the listed substance. Photocopy this question and complete it separately for each process type and work area. None							
Engineering Controls Used (Year Installed (Y/N) Ventilation: Local exhaust General dilution Other (specify) Vessel emission controls Mechanical loading or packaging equipment	[_]	Process type	Batch -	Polyurethane Poly	merization				
Engineering Controls (Y/N) Installed (Y/N) Upgraded Ventilation: Local exhaust General dilution Other (specify) Vessel emission controls Mechanical loading or packaging equipment		Work area	• • • • • • • • • • • • • • • • • • • •		1	,			
Local exhaust General dilution Other (specify) Vessel emission controls Mechanical loading or packaging equipment		Engineering Controls							
General dilution Other (specify) Vessel emission controls Mechanical loading or packaging equipment		Ventilation:							
Other (specify) Vessel emission controls Mechanical loading or packaging equipment		Local exhaust				•			
Vessel emission controls Mechanical loading or packaging equipment		General dilution							
Mechanical loading or packaging equipment		Other (specify)	•						
packaging equipment		Vessel emission controls							
Other (specify)		Mechanical loading or packaging equipment							
		Other (specify)							
					·				
	*.								
*	1	Not aware that any engineering	controls are	needed					
* Not aware that any engineering controls are needed									
* Not aware that any engineering controls are needed									
*Not aware that any engineering controls are needed									

 $[\underline{ }]$ Mark (X) this box if you attach a continuation sheet.

CBI	Describe all equipment or process modifications you have m prior to the reporting year that have resulted in a reduct the listed substance. For each equipment or process modifi the percentage reduction in exposure that resulted. Photo complete it separately for each process type and work area	ion of worker exposure to ication described, state
	Process type Batch - Polyurethane Polymerizat:	ion
		1
	Equipment or Process Modification	Reduction in Worker Exposure Per Year (%)
		•
	No Modifications	
[_]	Mark (X) this box if you attach a continuation sheet.	

PART	D PERSONAL PROTECT	TIVE AND SAFETY EQUIPMENT	
9.14 CBI	in each work area	in order to reduce or elimina	ipment that your workers wear or use te their exposure to the listed e it separately for each process type
[_]	Process type	Batch - Polyurethane	Polymerization
	Work area	•••••	1
		Equipment Types Respirators Safety goggles/glasses Face shields Coveralls Bib aprons Chemical-resistant gloves Other (specify)	Wear or Use (Y/N) N N N N N N N

[_] Mark (X) this box if you attach a continuation sheet.

9.15	If workers use respirators when working with the listed substance, specify for each process type, the work areas where the respirators are used, the type of respirators used, the average usage, whether or not the respirators were fit tested, and the type and frequency of the fit tests. Photocopy this question and complete it separately for each process type.								
<u>CBI</u>									
[_]	Process type Batch - Polyurethane Polymerization								
	Work Area	Respirate Type	or	Average Usage ¹	Fit Tested (Y/N)	Type of Fit Test ²	Frequency of Fit Tests (per year)		
		N.A.	-						
					***************************************		•		
	E = Oth 2 Use the QL = Qt	ekly		the type o	of fit tes	t:			
[_]	Mark (X)) this box if you a	ittach a con	tinuation s	sheet.				

9.19 CBI	Describe all of the work peliminate worker exposure authorized workers, mark a monitoring practices, provquestion and complete it s	to the listed su reas with warnin ide worker train	bstance (e.g. g signs, insu ing programs,	, restrict en re worker det etc.). Phot	trance only to ection and ocopy this				
<u></u>]	Process type Batch - Polyurethane Polymerization								
	Work area	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	1	0 77-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0				
	Area is not restr	icted							

) or a						
9.20	Indicate (X) how often you perform each housekeeping task used to clean up routine leaks or spills of the listed substance. Photocopy this question and complete it separately for each process type and work area. Process type Batch - Polyurethane Polymerization								
				zation					
		Batch - Polyuret	hane Polymeri	zation 1					
	Process type	Batch - Polyuret	hane Polymeri	1 3-4 Times					
	Process type	Batch - Polyuret	hane Polymeri	1 3-4 Times					
	Process type Work area Housekeeping Tasks	Batch - Polyuret	hane Polymeri	1 3-4 Times	More Than 4 Times Per Day				
	Process type Work area Housekeeping Tasks Sweeping	Batch - Polyuret	hane Polymeri	1 3-4 Times					
	Process type Work area Housekeeping Tasks Sweeping Vacuuming	Batch - Polyuret	hane Polymeri	1 3-4 Times					
	Process type Work area Housekeeping Tasks Sweeping Vacuuming Vacuuming Vater flushing of floors	Batch - Polyuret	hane Polymeri	1 3-4 Times					
	Process type Work area Housekeeping Tasks Sweeping Vacuuming Vacuuming Vater flushing of floors	Batch - Polyuret	hane Polymeri	1 3-4 Times					
	Process type Work area Housekeeping Tasks Sweeping Vacuuming Vacuuming Vater flushing of floors	Batch - Polyuret	hane Polymeri	1 3-4 Times					
	Process type Work area Housekeeping Tasks Sweeping Vacuuming Vacuuming Vater flushing of floors	Batch - Polyuret	hane Polymeri	1 3-4 Times					
	Process type Work area Housekeeping Tasks Sweeping Vacuuming Vacuuming Vater flushing of floors	Batch - Polyuret	hane Polymeri	1 3-4 Times					

9 21	Do you have a written medical action plan for responding to routine or emergency exposure to the listed substance?
	Routine exposure
`	Yes
	No
	Yes
	No
	If you where are earlier of the last it is a second of the last it is a sec
	If yes, where are copies of the plan maintained? Routine exposure:
	Emergency exposure:
7	
9.22	Do you have a written leak and spill cleanup plan that addresses the listed substance? Circle the appropriate response.
	Yes 1
	No
	If yes, where are copies of the plan maintained?
	Has this plan been coordinated with state or local government response organizations? Circle the appropriate response.
	Yes 1
	No
9.23	Who is responsible for monitoring worker safety at your facility? Circle the
,	appropriate response.
	Plant safety specialist \ 1
	Insurance carrier
	OSHA consultant
\	Other (spedify)
\	
1_1	Mark (X) this box if you attach a continuation sheet.

SECTION 10 ENVIRONMENTAL RELEASE

General Instructions:

Complete Part E (questions 10.23-10.35) for each non-routine release involving the listed substance that occurred during the reporting year. Report on all releases that are equal to or greater than the listed substance's reportable quantity value, RQ, unless the release is federally permitted as defined in 42 U.S.C. 9601, or is specifically excluded under the definition of release as defined in 40 CFR 302.3(22). Reportable quantities are codified in 40 CFR Part 302. If the listed substance is not a hazardous substance under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) and, thus, does not have an RQ, then report releases that exceed 2,270 kg. If such a substance however, is designated as a CERCLA hazardous substance, then report those releases that are equal to or greater than the RQ. The facility may have answered these questions or similar questions under the Agency's Accidental Release Information Program and may already have this information readily available. Assign a number to each release and use this number throughout this part to identify the release. Releases over more than a 24-hour period are not single releases, i.e., the release of a chemical substance equal to or greater than an RQ must be reported as a separate release for each 24-hour period the release exceeds the RQ.

For questions 10.25-10.35, answer the questions for each release identified in question 10.23. Photocopy these questions and complete them separately for each release.

PART A	PART A GENERAL INFORMATION					
10.01	Where is your facility located? Circle all appropriate responses.					
CBI						
[_]	Industrial area					
	Urban area					
	Residential area					
	Agricultural area 4					
	Rural area 5					
	Adjacent to a park or a recreational area					
	Within 1 mile of a navigable waterway					
	Within 1 mile of a school, university, hospital, or nursing home facility 8					
	Within 1 mile of a non-navigable waterway 9					
	Other (specify)					

	Specify the exact location of you is located) in terms of latitude (UTM) coordinates.	and longitude or Univ	versal Transve	rse Mercader
	Latitude		30 ° 0	3 . 500 14
	Longitude	••••••	90 ° 0	02 · WEST
	UTM coordinates Zone	, North	ing,	Easting
10.03	If you monitor meteorological con the following information.	ditions in the vicin	ty of your fa	cility, provide
	Average annual precipitation			inches/ye
	Predominant wind direction	•		
		_		
10.04	Indicate the depth to groundwater	helow your fability		\
`				
	Depth to groundwater			\
10.05	For each on-site activity listed, listed substance to the environment	indicate (V/N/NA)	l routine rel	meters eases of the
10.05 CBI		indicate (Y/N/NA) alnt. (Refer to the in	structions fo	eases of the r a definition
	For each on-site activity listed, listed substance to the environment	indicate (Y/N/NA) alnt. (Refer to the in	l routine relastructions for ronmental Relations	eases of the r a definition
CBI	For each on-site activity listed, listed substance to the environment Y, N, and NA.)	indicate (Y/N/NA) alnt. (Refer to the in	ronmental Rel	eases of the r a definition ease
CBI	For each on-site activity listed, listed substance to the environment Y, N, and NA.) On-Site Activity	indicate (Y/N/NA) alnt. (Refer to the in Envi	ronmental Rel	eases of the r a definition ease Land
CBI	For each on-site activity listed, listed substance to the environment Y, N, and NA.) On-Site Activity Manufacturing	indicate (Y/N/NA) alnt. (Refer to the in Envi	ronmental Rel	eases of the r a definition ease Land NA NA
CBI	For each on-site activity listed, listed substance to the environment Y, N, and NA.) On-Site Activity Manufacturing Importing	indicate (Y/N/NA) alnt. (Refer to the in Envi Air NA NA N	ronmental Rel Water NA NA	eases of the r a definition ease Land NA NA
CBI	For each on-site activity listed, listed substance to the environment Y, N, and NA.) On-Site Activity Manufacturing Importing Processing	indicate (Y/N/NA) alnt. (Refer to the in Envi Air NA NA NA NA NA NA	ronmental Relater NA NA NA NA NA	eases of the r a definition ease Land NA NA NA NA NA
CBI	For each on-site activity listed, listed substance to the environment Y, N, and NA.) On-Site Activity Manufacturing Importing Processing Otherwise used	indicate (Y/N/NA) alnt. (Refer to the in Envi Air NA NA N	ronmental Rel Water NA NA	eases of the radefinition ease Land NA NA NA

Quantity discharged to the air	_
Quantity discharged in wastewaters	y the level xplanation and
Quantity discharged in wastewaters NA Quantity managed as other waste in on-site treatment, storage, or disposal units NA Quantity managed as other waste in off-site	. kg/yr <u>+</u> %
Quantity managed as other waste in on-site treatment, storage, or disposal units NA Quantity managed as other waste in off-site	kg/yr <u>+</u> %
Quantity managed as other waste in off-site treatment, storage, or disposal units NA	kg/yr ± %
	kg/yr <u>+</u> %
	•

[] Mark (X) this box if you attach a continuation sheet.

10.08 CBI	for each process stre process block or resi	technologies used to minimize release of team containing the listed substance as ideredual treatment block flow diagram(s). Photately for each process type.	itified in vour
[_]	Process type		
	Stream ID Code	NA - Essential a closed system Control Technology	Percent Efficiency
		·	

.0.09 <u>:BI</u>	residual trea source. Do r	terms of a Str atment block fl not include rav ,, equipment le	ream ID Code as identified ow diagram(s), and provided or material and product sto	int source containing the listed in your process block or de a description of each point orage vents, or fugitive emissicestion and complete it separate
	Process type	<u>E</u>	atch - Polyurethane Polym	merization
,	Point Source ID Code		Description o	of Emission Point Source
			NA	
,				
			-	
•				
•				
				•

Mark

3

thi

S

²Frequency of emission at any level of emission

³Duration of emission at any level of emission

⁴Average Emission Factor — Provide estimated (\pm 25 percent) emission factor (kg of emission per kg of production of listed substance)

10.11 CBI	Stack Parameters Identify the stack parameters for each Point Source ID Code identified in question 10.09 by completing the following table.										
[_]	Point Source ID Code	Stack Height(m)	Stack Inner Diameter (at outlet) (m)	NA Exhaust Temperature (°C)	Emission Exit Velocity (m/sec)	Building Height(m)	Building Width(m)	Vent Type ³			
											
		Andrews and a second						•			
					 						
	1										
			or adjacent								
			or adjacent								
			codes to des	ignate vent	type:						
	H = Hori V = Vert										
[-]	Mark (X) t	his box if	you attach	a continuati	on sheet.						

<u>I</u>		NA .
_]	Point source ID code	
	Size Range (microns)	Mass Fraction (% ± % precision)
	< 1	
	≥ 1 to < 10	
	≥ 10 to < 30	
	≥ 30 to < 50	
	≥ 50 to < 100	
	≥ 100 to < 500	
	≥ 500	
		Total = 100%
		·

PART (C FUGITIVE EMISSIONS						
10.13	Equipment Leaks Complete types listed which are expo- according to the specified the component. Do this for residual treatment block fl not exposed to the listed s process, give an overall pe exposed to the listed subst for each process type.	weight percestow diagram(stance.	ent of the stype is by the stype is the stype is the stype is time per	bstance a e listed dentified ot includ s a batch	nd which a substance in your p e equipment or inter	are in se passing process b nt types mittently	rvice through lock or that are operated
[-]	Process type Bat	ich – Polimina	+hana Da] romomá m a Asi	:		
	Percentage of time per year type	Number	of Compo	stance is nents in d Substan	 Service b	···· — y Weight 1	<i>10.4</i> 9 Percent.
	Equipment Type	Less than 5%	5-10%		26-75%		Greater than 99%
	Pump seals ¹				20 /3/6	10-33%	Chan 337
	Packed						
	Mechanical	4					
	Double mechanical ²						
	Compressor seals ¹	_2					
	Flanges	4				***************************************	
	Valves						
	Gas ³						
	Liquid	3					
	Pressure relief devices ⁴ (Gas or vapor only)	3					
	Sample connections						
	Gas						
	Liquid					-	
	Open-ended lines ⁵ (e.g., purge, vent)						
	Gas						

10.13 continued on next page

l	Mark	(X)	this	pox	if	you	attach	a	continuation	sheet
---	------	-----	------	-----	----	-----	--------	---	--------------	-------

¹List the number of pump and compressor seals, rather than the number of pumps or compressors

10.13	(continued)									
	² If double mechanical seals are operated with the barrier (B) fluid at a pressure greater than the pump stuffing box pressure and/or equipped with a sensor (S) that will detect failure of the seal system, the barrier fluid system, or both, indicate with a "B" and/or an "S", respectively									
	³ Conditions existing in the valve during normal operation									
		⁴ Report all pressure relief devices in service, including those equipped with								
	⁵ Lines closed during normal operation that would be used during maintenance operations									
10.14 CBI	Pressure Relief Devices with Controls Complete the following table for those pressure relief devices identified in 10.13 to indicate which pressure relief devices in service are controlled. If a pressure relief device is not controlled, enter "None" under column c.									
lJ	a. NA Number of Pressure Relief Devices	b. Percent Chemical in Vessel	Control Device	d. Estimated Control Efficiency ²						
			· · · · · · · · · · · · · · · · · · ·							
			· · · · · · · · · · · · · · · · · · ·							
	Refer to the table in quest heading entitled "Number of Substance" (e.g., <5%, 5-1	OI Components in Serv	d the percent rangelice by Weight Per	ge given under the cent of Listed						
	² The EPA assigns a control with rupture discs under refficiency of 98 percent fonditions	ormal operating cond	litions. The EPA :	assigns a control						
	Mark (X) this box if you at	tach a continuation	sheet.							

10.15 CBI	Equipment Leak Detection place, complete the procedures. Photocopy type.	tollowing table reg	arding tho:	se leak dete	ection and re	epair
	Process type		Batch - Po	olyurethane]	Polymerization	
<u>, , , , , , , , , , , , , , , , , , , </u>	-	Leak Detection Concentration (ppm or mg/m³) Measured at Inches	Detection	Frequency of Leak	Repairs	Repairs Completed
	Equipment Type	from Source	Device		detection)	
	Pump seals Packed Mechanical Double mechanical Compressor seals Flanges Valves Gas Liquid Pressure relief devices (gas or vapor only) Sample connections Gas Liquid Open-ended lines Gas Liquid					
	1 Use the following co POVA = Portable orga FPM = Fixed point mo O = Other (specify)	odes to designate d unic vapor analyzer onitoring	etection de	evice:		

Mark (X) this b	CBI			atment block	Ü					Operat-	-							
		Vessel Type	Floating Roof Seals ²	Composition of Stored Materials	Throughput (liters per year)		Vessel Filling Duration (min)	Vessel Inner Diameter (m)		Volume	Vessel Emission Controls	Design Flow Rate		Control Efficiency (%)	Basis for Estimate ⁶			
s box											·			·				

				-														
tach a																		
			-															
		Use the following codes to designate vessel type: 2 Use the following codes to designate floating roof seals:																
continuation shee			e collow: :Fixed ro	J	oesignate ve	sser type	! :	² Use the following codes to designate floating roof seals: MS1 = Mechanical shoe, primary										
	1	CIF = Contact internal floating roof						MS2 = Shoe-mounted secondary MS2R = Rim-mounted, secondary										
		CIF :				£		MCOT	Dim	mounto	COMMON		<pre>IM1 = Liquid-mounted resilient filled seal, primary</pre>					
		CIF : NCIF : EFR :	= Nonconta = External	act internal l floating ro	floating room			LM1	= Liqu	uid-mour	ted resili		led seal,	primary				
		CIF : NCIF : EFR : P :	= Nonconta = External	act internal l floating ro e vessel (ind	floating room		;)	LM1 LM2 LMW	= Liqu = Rim- = Weat	uid-mour -mounted ther shi	ted resili shield eld	ent fil	·					
		CIF : NCIF : EFR : P : H :	: Nonconta : External : Pressure	act internal l floating ro e vessel (ind tal	floating room		;)	1M1 LM2 LMW VM1 VM2	= Liqu = Rim- = Weat = Vapo = Rim-	uid-mour -mountec Ther shi or mount	ted resili shield eld ed resilie secondary	ent fil	·					
		CIF : NCIF : EFR : P : U :	= Nonconta = External = Pressure = Horizon = Undergro	act internal l floating ro e vessel (ind tal	floating roo of icate pressu	re rating		LM1 LM2 LMW VM1 VM2 VMW	= Liqu = Rim- = Weat = Vapo = Rim- = Weat	uid-mour mounted ther shi or mounted mounted ther shi	ted resili shield eld ed resilie secondary eld	ent fil	ed seal,	primary				
		CIF : NCIF : EFR : U :	 Nonconta External Pressure Horizone Undergro ate weight 	act internal l floating ro e vessel (ind tal oumd	floating roo of icate pressu	re rating		LM1 LM2 LMW VM1 VM2 VMW	= Liqu = Rim- = Weat = Vapo = Rim- = Weat	uid-mour mounted ther shi or mounted mounted ther shi	ted resili shield eld ed resilie secondary eld	ent fil	ed seal,	primary				
		CIF : NCIF : EFR : U : Indicator Other	 Nonconta External Pressure Horizon Undergro ate weight than floa 	act internal l floating ro e vessel (ind tal ound t percent of	floating room of icate pressur the listed so	re rating ubstance.	Include	IM1 LM2 LMW VM1 VM2 VMW the total	= Liqu = Rim- = Weat = Vapo = Rim- = Weat	uid-mourted ther ships mounted ther ships ther ships the organ	ted resili shield eld ed resilie secondary eld nic conter	ent fill ont fill ont in pa	ed seal,	primary				
		CIF : NCIF : EFR : U : 1 Indica 1 Other 5 Gas/va 6 Use th	Nonconta External Pressure Horizon Undergro ate weight than floa	act internal I floating ro e vessel (ind tal ound t percent of ating roofs rate the emi ing codes to	floating roo of icate pressur the listed so	re rating ubstance. l device	Include was design	IM1 LM2 LMW VM1 VM2 VMW the total	= Liqu = Rim- = Weat = Vapo = Rim- = Weat Volati	uid-mounted ther shi or mounted ther shi the organical	ted resili shield eld ed resilie secondary eld nic conter	ent fill ont fill ont in pa	ed seal,	primary				

10.23 Indicate the date and time when the release occurred and when the release ceased or was stopped. If there were more than six releases, attach a continuation sheet and list all releases.

Release	Date Started	Time (am/pm)		Date Stopped	Time (am/pm)
1					- Inguistic and the second
2		//	_		
3	/// .				
4	/ (/				
5	/	•			•
6			***************************************	1	

10 24 Specify the weather conditions at the time of each release.

	Wind Speed	Wind	11.2444	T	
Release	(km/hr)	Direction	Humidity(%)	Temperature (°C)	Precipitation (Y/N)
1					an available
		\			
2					
3					
4					
_			-	\	
5			\		
6					

[_] Mark (X) this box if you attach a continuation sheet.

FEDERAL

AIRBILL

USE THIS AIRBILL FOR DOMESTIC SHIPMENTS WITHIN THE CONTINENTAL U.S.A., ALASKA AND HAWAII.
USE THE INTERNATIONAL AIR WAYBILL FOR SHIPMENTS TO PUERTO RICO.
QUESTIONS? CALL 800-238-5355 TOLL FREE.

12 HOLIDAY BELIVERY (If offered)
(Extra charge)

PACKAGE TRACKING NUMBER 3205553886

MULTIPLE PACKAGE SERVICE 3205553886 RECIPIENT'S COPY Recipient's Phone Number (Very Important) To (Recipient's Name) Please Print Your Phone Number (Very Important) Department/Floor No. Company Department/Floor No. Company Exact Street Address (We Cannot Deliver to P.O. Boxes or P.O. Sip Codes.) Street Address City ZIP Required IF HOLD FOR PICK-UP, Print FEDEX Address Here YOUR BILLING REFERENCE INFORMATION (FIRST 24 CHARACTERS WILL APPEAR ON INVOICE.) Street Address State Bill Credit Card **ZIP** Required City PAYMENT Bill Sender Bill Recipient's FedEx Acct. No. Bill 3rd Party FedEx Acct. No. Cash Emp. No. Federal Express Use PACKAGES DELIVERY AND SPECIAL HANDLING SERVICES Cash Received Base Charges Return Shipment
Third Party 1 PRIORITY 1 6 OVERNIGHT 1 HOLD FOR PICK-UP (Fill in Box H) Chg. To Del. Chg. To Hold DELIVER WEEKDAY Street Address 2 COURIER-PAK OVERNIGHT ENVELOPE* 3 DELIVER SATURDAY (Extra charge) Other 4 DANGEROUS GOODS (Extra charge) City State Other 2 5 CONSTANT SURVEILLANCE SERVICE (CSS)
(Extra charge) (Release Signature Not Applicable) 3 OVERNIGHT 8 Received By: Total Charges X 1 ☐ Regular Stop 2 ☐ On-Call Stop 4 D OVERNIGHT 7 OTHER SPECIAL SERVICE Date/Time Received FedEx Employee Number PART #2041738900 REVISION DATE 10/88 PRINTED IN U.S.A. WCSEL 3 ☐ /4 ☐ Drop Box B.S.C. 8 Sender authorizes Federal Express to deliver this ship-ment without obtaining a delivery signature and shall indemnify and hold harmless Federal Express from any claims resulting therefrom. EDEX Corp. Employee No 9 SATURDAY PICK-UP 009 10 10 © 1988 F.E.C. Date/Time for FEDEX Use 11 2/89